

MULTI-FUNCTIONAL BORDERLESS PHOTO PRINTING WITH SAVINGS YOU CAN ENJOY.



The Epson L850 3-in-1 photo printer delivers borderless prints at unbeatable savings. Imaging enthusiasts and professionals can also look forward to the 6-colour InkTank system, presenting vibrant printing quality and unrivalled performance at a remarkably low cost.

- Photo Print
- Print 5760dpi Resolution
- Print from Memory Card or USB
- Print onto CD/DVD
- High-Yield Ink Bottles
- 1 Year Warranty*

₹2.50
 per 4"x6"
 Photo*



The Epson L850 is bundled with a starter kit of 6 bottles x 70ml of photo colour Epson inks, allowing up to 1,800 4R photo prints.

ENGINEERED FOR BUSINESS

Superb Savings and Page Yield

Large integrated ink tanks and highly affordable ink bottles at just ₹609[†] each.

Additional Features for Convenient Usage

Print, copy and scan easily without a PC via the built-in LCD screen, memory card slot and PictBridge.

Direct Printing onto CDs/DVDs

Print directly onto the printable surface of your CDs/DVDs without the use of costly adhesive labels.

*Excluding cost of media. †Standard warranty period is one year or 3,000 pages whichever comes first. ‡Prices are subject to change without prior notice.

With its 6-colour InkTank system, the Epson L850 is capable of delivering uncompromisingly stunning borderless photo prints at an ultra-low running cost. From easy and direct CD/DVD surface printing to its vibrant 2.7" colour LCD display, this is the go-to printer for all photography enthusiasts and professionals.



Superb Savings and Page Yield

Epson's proven original InkTank system delivers reliable printing with unrivalled economy. At just ₹609¹ per bottle, Epson genuine ink bottles let you enjoy an ultra high page yield of up to 1,800* 4R photos at very low running costs.

¹Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 29103. Quoted yields are NOT based on ISO/IEC 29102. Actual yields may vary depending on manner of usage and print pattern.

Additional Features for Convenient Usage

With the memory card slot, PictBridge and direct USB 2.0 port, you can print from your memory devices, memory cards or directly from a camera supporting PictBridge for increased efficiency. For added convenience, the Epson L850 is equipped with a large 2.7" LCD screen to meet your direct printing, copying and scanning needs.

Direct Printing onto CDs/DVDs

With the Epson L850, you can print directly onto the printable surface of your CDs/DVDs, removing the need for additional adhesive labels, thereby saving you money.



Superior Print Speed for Better Productivity

With a photo print speed of up to 12 seconds per 4R photo*, you can achieve much more with less time.

*Based on 4R borderless photo draft mode.

Quality That Shines. Value That Lasts

Epson genuine ink bottles are formulated to deliver outstanding high-volume print quality with L-Series printers. Every bottle is individually sealed to ensure the purity of ink and comes with a smart tip designed for mess-free refills. Choose Epson genuine ink bottles to enjoy lasting quality with your L-Series printer and the world's lowest printing costs**.

**As at 28 August 2012, the Epson L-Series offers users the world's lowest cost per page for any printer using genuine branded supplies from its own manufacturer.



Unsurpassed Print Quality

You can be assured of the highest quality in photo printing with a resolution of 5760 dpi and an expanded colour gamut of 6 inks.



Enjoy Peace of Mind with Epson Warranty

Enjoy warranty coverage of up to 1 year or 3,000 pages to ensure you get maximum value from your printer without having to worry about its maintenance.



Model Number	L850																					
Printing	On-demand Inkjet (piezoelectric)																					
Print Method	90 nozzles, each colour (Cyan, Light Cyan, Magenta, Light Magenta, Yellow, Black)																					
Nozzle Configuration	Bi-directional printing, Uni-directional printing																					
Print Direction	5760 X 1440 dpi (with Variable-Sized Droplet Technology)																					
Maximum Resolution	1.5 pl																					
Minimum Ink Droplet Volume																						
Print Speed¹⁾	Approx. 37 ppm/38 ppm (Black ¹⁾ /Colour ²⁾																					
Max Draft Text - Memo, A4	Approx. 5.0 ipm/4.8 ipm (Black/Colour)																					
ISO 24734, A4, Simplex	Approx. 12 sec per photo (Borderless)																					
Max Photo Draft - 10 X 15cm/4x6 ³⁾	Approx. 27 sec per photo (Borderless)																					
Photo Default - 10 X 15cm/4x6 ³⁾	Yes																					
CD/DVD Printing	Yes (Manual)																					
Double-Sided Printing	Yes (Manual)																					
Copying																						
Copy Speed	Approx. 37 cpm/38 cpm (Black ¹⁾ /Colour ²⁾																					
Max Draft Text - Memo, A4	Standard copy mode, BorderFree																					
Copy Mode	99																					
Maximum Copies From Standalone	25-400%, Auto Fit Function																					
Reduction / Enlargement																						
Scanning																						
Scanner Type	Flatbed colour image scanner																					
Sensor Type	CIS																					
Optical Resolution	1200 X 2400 dpi																					
Maximum Scan Area	216 X 297mm (8.5" X 11.7")																					
Scanner Bit Depth																						
Colour	48-bit internal, 24-bit external																					
Grayscale	16-bit internal, 8-bit external																					
Black and White	16-bit internal, 1-bit external																					
Scan Speed																						
Monochrome	Approx. 1.6 msec/line																					
300 dpi																						
Colour 300 dpi	Approx. 4.6 msec/line																					
Paper Handling																						
Paper Feed Method	Friction feed																					
Paper Hold Capacity																						
Input Capacity	100 sheets, A4 Plain paper (75g/m ²)																					
	20 sheets, Premium Glossy Photo Paper																					
	50 sheets, A4 Plain paper																					
Output Capacity	20 sheets, Premium Glossy Photo Paper																					
Paper Size	A4, A5, A6, B5, 10x15cm(4x6in), 13x18cm(5x7in), 9x13cm(3.5x5in), Letter(8 1/2x11in), Legal(8 1/2x14in), Half Letter(5 1/2x8 1/2in), 13x20cm(5x8in), 20x29cm(8x10in), 16:9 wide size, 100x148mm, Envelopes: #10(4 1/8x3 1/2in), DL(110x220mm), C6(114x162mm), 8.5" x 44"																					
Maximum Paper Size	0 mm top, left, right, bottom via custom settings in printer driver ³⁾																					
Print Margin																						
Interface	Hi-Speed USB 2.0																					
USB																						
Control Panel																						
LCD Screen	6.9cm (2.7") TFT Colour LCD																					
Type of Direct Printing	Card Slots, PictBridge, Direct USB Port																					
Card Slot																						
Built-in Slots	Memory Stick, SD																					
Supported Memory Cards	Memory Stick, Memory Stick Duo (With Adapter), MagicGate Memory Stick, MagicGate Memory Stick Duo (With Adapter), Memory Stick PRO, Memory Stick PRO Duo (With Adapter), Memory Stick PRO-HG Duo (With Adapter), Memory Stick Micro <M2> (With Adapter), SD, SDHC, SDXC, MiniSD (With Adapter), MiniSDHC (With Adapter), MicroSD (With Adapter), MicroSDHC (With Adapter), MicroSDXC (With Adapter)																					
File Format	JPEG																					
Printer Software																						
Operating System Compatibility	Windows XP/XP Professional x64 Edition/Vista/7/8/8.1 Mac OS X 10.6.8, 10.7.x, 10.8.x, 10.9.x																					
Electrical Specifications																						
Rated Voltage	AC 220 - 240 V																					
Rated Frequency	50-60 Hz																					
Power Consumption																						
Operating	Approx. 12.0W																					
Standby	Approx. 5.3W																					
Sleep	Approx. 1.6W																					
Power Off	Approx. 0.35W																					
Noise Level																						
PC Printing / Premium Glossy	5.1 B(A), 37 dB(A)																					
Photo Paper Best Photo	6.2 B(A), 48 dB(A)																					
PC Printing / Plain Paper Default⁴⁾																						
Epson Genuine Ink Bottle																						
Black	<table border="1"> <thead> <tr> <th>Page Yield (A4)⁵⁾</th> <th>Photo Page Yield (4R)⁶⁾</th> <th>Order Code</th> </tr> </thead> <tbody> <tr> <td>3,000 pages</td> <td>-</td> <td>T6731</td> </tr> <tr> <td></td> <td></td> <td>T6732</td> </tr> <tr> <td></td> <td></td> <td>T6733</td> </tr> <tr> <td></td> <td></td> <td>T6734</td> </tr> <tr> <td></td> <td></td> <td>T6735</td> </tr> <tr> <td></td> <td></td> <td>T6736</td> </tr> </tbody> </table>	Page Yield (A4) ⁵⁾	Photo Page Yield (4R) ⁶⁾	Order Code	3,000 pages	-	T6731			T6732			T6733			T6734			T6735			T6736
Page Yield (A4) ⁵⁾	Photo Page Yield (4R) ⁶⁾	Order Code																				
3,000 pages	-	T6731																				
		T6732																				
		T6733																				
		T6734																				
		T6735																				
		T6736																				
Cyan	5,400 pages	1,800 photos																				
Magenta	(composite yield)	(composite yield)																				
Yellow																						
Light Cyan																						
Light Magenta																						

Dimensions and Weight

L850
Weight: 9.1kg / 20.1lb



¹⁾ Print speed (Pages Per Minute) is calculated when printed on A4 plain paper in the fastest mode, 10 x 15 cm photo print speed when printed on Epson Premium Glossy Photo Paper. Print speed may vary depending on system configuration, print mode, document complexity, software, type of paper used and connectivity. Print speed does not include processing time on host computer.



- ²⁾ When printed on Epson Premium Glossy Photo Paper
- ³⁾ Via custom setting. Otherwise, 3mm top, left, right, bottom.
- ⁴⁾ Default mode in accordance with ISO7779
- ⁵⁾ Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 24712. Quoted yields are NOT based on ISO/IEC 24711. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature.
- ⁶⁾ Quoted yields are extrapolated based on Epson original methodology from the print simulation of Test Patterns provided in ISO/IEC 29103. Quoted yields are NOT based on ISO/IEC 29102. Quoted yields may vary depending on the images that you are printing, the paper type that you are using, the frequency of your prints and environmental conditions such as temperature.

©2017 Epson India Pvt. Ltd. All Rights Reserved. Reproduction in part or in whole, without the written permission from Epson, is strictly prohibited. EPSON and EXCEED YOUR VISION are registered trademarks of Seiko Epson Corporation. All other products names and other company names used herein are for identification purposes only and are the trademarks or registered trademarks of their respective owners. Epson disclaims any and all rights in those marks. Print samples shown are simulations only. Specifications and product availability are subject to change without notice and may vary between countries. Please check with local Epson offices for more information.

Information correct at time of printing.
Printed April 2019.



Dealer's Stamp



Designed to support the Sustainable Development Goals (SDGs) set by the UN

EPSON INDIA PVT. LTD.

12th Floor, The Millenia, Tower A, No.1,
Murphy Road, Ulsoor, Bangalore - 560 008.
Tel: 080-3051 5000 Fax: 080-3051 5005

Regional Offices:

Ahmedabad - 3314 8500/01, Chennai - 3967 7500, Cochin - 4012 315, Coimbatore - 98942 19200,
Kolkata - 4603 4714/15/29/30, Mumbai - 3079 8200, New Delhi - 3312 0300, Pune - 3028 6000/05,
Hyderabad - 4857 0032, Jaipur - 78699 11699



Epson Helpline: For product info or service- 1800 425 0011
For service - 1800 123 001 600 (9AM - 6PM) (Mon - Sat)

www.epson.co.in